




ROOM LABEL
STORE CS02

SYMBOL KEY

- △ DATA TWISTED PAIR
SEE PRODUCT DATA
SHEETS FOR MORE
INFORMATION
- CLASS 1 WIRING
2 CONDUCTORS
- CLASS 1 WIRING
3 CONDUCTORS
- CLASS 2 WIRING
4 CONDUCTORS




TO PREVIOUS PAGE

MULTI-ZONE
CONTROLLER/DIMMER
FOUR GANG BACK BOX
MODEL NO. 6330R
DEVICE LABEL 632-A

MULTI-ZONE
CONTROLLER/DIMMER
FOUR GANG BACK BOX
MODEL NO. 6330R
DEVICE LABEL 632-B


MULTI-ZONE
CONTROLLER/DIMMER
FOUR GANG BACK BOX
MODEL NO. 6330R
DEVICE LABEL 632-C



ROOM LABEL
CONF CS01


SYMBOL KEY

- △ DATA TWISTED PAIR
SEE PRODUCT DATA
SHEETS FOR MORE
INFORMATION
- CLASS 1 WIRING
2 CONDUCTORS
- CLASS 1 WIRING
3 CONDUCTORS
- CLASS 2 WIRING
4 CONDUCTORS



TERMINATOR BLOCK
MODEL NO. 16360

MULTI-ZONE
CONTROLLER/DIMMER
FOUR GANG BACK BOX
MODEL NO. 6330R
DEVICE LABEL 631





FIVE BUTTON
SCENE CONTROLLER
MODEL NO. 16330S
SINGLE GANG BACK BOX

FIVE BUTTON
SCENE CONTROLLER
MODEL NO. 16330S
SINGLE GANG BACK BOX



FIVE BUTTON
SCENE CONTROLLER
MODEL NO. 16330S
SINGLE GANG BACK BOX

FIVE BUTTON
SCENE CONTROLLER
MODEL NO. 16330S
SINGLE GANG BACK BOX



TERMINATOR BLOCK
MODEL NO. 16360



DT1 DETAIL OF FLUORESCENT COVE DISPLAY
SCALE: 1/4" = 1' - 0"



DT2 DETAIL OF FLUORESCENT COVE DISPLAY
SCALE: 1/4" = 1' - 0"



DT3 DETAIL OF FLUORESCENT UP DISPLAY
SCALE: 1/4" = 1' - 0"

TYPE	QTY	MANUFACTURER	SPECIFICATIONS	DESCRIPTION
A	65	LIGHTOLIER	LYTECASTER 1046	RECESSED DOWN LIGHT WITH SPECULAR CLEAR ALZAK
A	65	LIGHTOLIER	LYTECASTER 1000IC	IC HOUSING 7-5/16" HIGH
A	65	BULBRITE	JTT100WH	BT-15 SOFT WHITE 100W
B	45	LIGHTOLIER	LYTECASTER 2029 CL	RECESSED ADJUSTABLE ACCENT DOWN LIGHT WITH SPECULAR CLEAR ALZAK
B	45	LIGHTOLIER	LYTECASTER 2000 IC	IC HOUSING 5-9/32" HIGH
B	45	OSRAM/SYLVANIA	50/PAR20/HAL/SPL/NFL30	50W 120V PAR LAMP 20 1/8" DIAMETER WITH 30° BEAM ANGLE
C	44	LIGHTOLIER	LYTECASTER 1096	RECESSED WALL WASH WITH SPECULAR CLEAR ALZAK
C	44	LIGHTOLIER	LYTECASTER 1000 IC	IC HOUSING 7-5/16" HIGH
C	44	BULBRITE	JTT60WH	BT 15 SOFT WHITE 60W
D	8	EURO FASE	TR-P405-32	SHOWER PLATE GLASS TRIM
D	8	EURO FASE	HG-4PI	4" PAR HOUSING FOR NEW CONSTRUCTION 6" HIGH
D	8	OSRAM/SYLVANIA	50PAR20/HAL/SPL/NFL30	50W 120V PAR LAMP 20 1/8" DIAMETER WITH 30° BEAM ANGLE
E	3	ARTEMIDE	MODULE 47"	MINI SURF FLUORESCENT SUSPENSION SYSTEM 4' LONG
E	3	OSRAM/SYLVANIA	FP54/830/A30/HO/ECO	54W T5 FLUORESCENT 48" LONG 3000K 82CRI
G	8	AMERICAN FLUORESCENT	YUQ120W	UNDER CABINET TASK LIGHT
G	8	OSRAM/SYLVANIA	FP24/830/HO	24W T5 FLUORESCENT 24" LONG 3000K 82CRI
H	33	LIGHTOLIER	LYTECASTER 2096	RECESSED DOWN LIGHT WITH SECULAR CLEAR ALZAK
H	33	LIGHTOLIER	LYTECASTER 2002 P1	NON IC HOUSING 5-1/2" HIGH
H	33	BULBRITE	JTT60WH	BT 15 SOFT WHITE 60W
J	8	EURO FASE	TR-402-25	PAR 20 4" SPCULAR CLEAR TRIM
J	8	EURO FASE	HG-4PI	4" PAR HOUSING FOR NEW CONSTRUCTION 6" HIGH
J	8	OSRAM/SYLVANIA	50PAR20/HAL/SPL/NFL30	50W 120V PAR LAMP 20 1/8" DIAMETER WITH 30° BEAM ANGLE
J1	6	EURO FASE	TR-402-25	PAR 20 4" SPCULAR CLEAR TRIM
J1	6	EURO FASE	HG-4PR	4" PAR HOUSING FOR NEW CONSTRUCTION 5-5/8" HIGH
J1	6	OSRAM/SYLVANIA	50PAR20/HAL/SPL/NFL30	50W 120V PAR LAMP 20 1/8" DIAMETER WITH 30° BEAM ANGLE
K	5	AMERICAN FLUORSCENT	NW232C	UTILITY LIGHTING
K	10	OSRAM/SYLVANIA	FO32/835/XP/ECO	32W T8 FLUORESCENT 48" LONG 3500K 83CRI
L	7	LIGHTOLIER	LYTECASTER 2046	RECESSED DOWN LIGHT WITH SPECULAR CLEAR ALZAK TRIM
L	7	LIGHTOLIER	LYTECASTER 2002 P1	NON IC HOUSING 5-1/2" HIGH
L	7	BULBRITE	JTT60WH	BT 15 SOFT WHITE 60W
M	21	JUNO	ULH322-WH	UNDER CABINET TASK LIGHT 22" LENGTH
M	63	THHC XELOGEN	G4S/1210XHf-10W FROSTED	10W FROSTED G4 BIPIN LAMP
M1	4	JUNO	ULH214-WH	UNDER CABINET TASK LIGHT 14" LENGTH
M1	8	THHC XELOGEN	G4S/1210XHf-10W FROSTED	10W FROSTED G4 BIPIN LAMP
N	2	BARCO LIGHTING	BFL282-S54	LINEAR T5 FLUORESCENT ADJUSTABLE STAGGER STRIP
N	4	OSRAM/SYLVANIA	FP24/830/HO	24W T5 FLUORESCENT 24" LONG 3000K 82CRI

MANUFACTURER ERCO SPECIFICATION STELLA SP 73501.023 WHITE TYPE A

Stella Spotlights for PAR Lamps

Modeling and lighting with adjustable beam angle. The beam angle can be adjusted from 15° to 30° by turning the beam angle adjuster. The beam angle adjuster is located on the side of the housing. The beam angle adjuster is made of aluminum and is finished with a clear anodized coating. The beam angle adjuster is designed to be used with the following beam angles: 15°, 20°, 25°, 30°. The beam angle adjuster is also designed to be used with the following beam diameters: 1.5", 2", 2.5", 3". The beam angle adjuster is also designed to be used with the following beam lengths: 1.5", 2", 2.5", 3".

Accessories on page 102

design illuminations 215 WEST CHICAGO AVENUE, CHICAGO ILLINOIS 60610, TEL 312 9441000 EXT 265

MANUFACTURER USHIO SPECIFICATION 50W EXZ/ N/ BA/ FG TYPE H

Timester Halogen Lamps + MR-16 Reflector

- Shows Directional Beam Spotter Reflector
- Double Contact Base
- Low Voltage - 12 Volt
- Operate in any position
- Available with heat glass cover**

Model	Wattage	Beam Angle	Beam Diameter	Beam Length	Beam Spot	Beam Spot	Beam Spot	Beam Spot
MR-16	50W	15°	1.5"	1.5"	1.5"	1.5"	1.5"	1.5"
MR-16	50W	20°	2"	2"	2"	2"	2"	2"
MR-16	50W	25°	2.5"	2.5"	2.5"	2.5"	2.5"	2.5"
MR-16	50W	30°	3"	3"	3"	3"	3"	3"

MR-16 Spotter Reflector

MR-16 Spotter Reflector with heat glass cover

design illuminations 215 WEST CHICAGO AVENUE, CHICAGO ILLINOIS 60610, TEL 312 9441000 EXT 265

MANUFACTURER LIGHTOLIER SPECIFICATION AA7/CDF7P56DM2 TYPE E

3 1/2" Aperture PAR56 Lamp Low Voltage

Adjustable Accent

AA7/CDF7P56DM2

Technical drawing showing top view, side view, and detail views of the lamp housing and beam adjuster.

Lightolier logo

design illuminations 215 WEST CHICAGO AVENUE, CHICAGO ILLINOIS 60610, TEL 312 9441000 EXT 265

MANUFACTURER ARTEMIDE SPECIFICATION MUDULE TYPE F

MINI SURF SUSPENSION SYSTEM

12" Aperture PAR56 Lamp Low Voltage

Adjustable Accent

MUDULE

Technical drawing showing top view, side view, and detail views of the suspension system and lamp housing.

Artemide logo

design illuminations 215 WEST CHICAGO AVENUE, CHICAGO ILLINOIS 60610, TEL 312 9441000 EXT 265

design illuminations 215 WEST CHICAGO AVENUE, CHICAGO ILLINOIS 60610, TEL 312 944 1000 EXT 265

FIXTURE SCHEDULE AND SPECIFICATION PACKAGE